

DUCT MOUNTED LINT FILTERS

**SINGLE DRYER - OPL APPLICATION
SELF OR MANUAL CLEANING**



In-Duct AF-S Self Cleaning Filters

FEATURES AND BENEFITS:

Ease of Installation

- **Integrates into Dryer Ducting (Duct In/Out)**
- **Smallest Footprint**

Cost Effective

- **Utility Free (No Energy Required)**
- **Minimal Maintenance**

Reduces Fire Risk

- **Decrease Duct Lint Build-up**
- **Optional Fire Suppression Protection**

Improves Appearance

- **~98% Removal of Small Dryer Lint Bypass**
- **Protects Air Handling Equipment**


Battery Powered Pressure Alarm Included

Why Your Dryer Needs a Lint Filter

This state-of-the-art lint filter has evolved from over 30 years of research and development to be the optimal solution for catching up to 98% of all bypassed lint produced by OPL textile dryers. Three problems minimized through duct mounted lint reduction are:

1. Dryer exhaust in proximity to air handling equipment (A/C units, cooling apparatus, and fresh air intake systems) plugging those systems with lint.
2. Long run from dryer to outside atmosphere increasing likelihood of duct lint accumulation causing dryer inefficiency and creating a potential fire hazard.
3. Unsightly mess resulting from lint accumulation of exhaust vent(s) located near the front of the building (a common issue) detracting from neat entry appearance.

SPECIFICATIONS



AF-S DUCT MOUNTED

- **Self Cleaning**
- **Lowest Maintenance**
- **Mounts Vertically**

AF-M DUCT MOUNTED

- **Manually Cleaned**
- **Low Maintenance**
- **Mounts Any Direction**

MODEL #	AF-1-S	AF-1-M	AF-1.7-S	AF-1.7-M	AF-2.3-S	AF-2.3-M	AF-2.7-S	AF-2.7-M
CLEANING	SELF	MANUAL	SELF	MANUAL	SELF	MANUAL	SELF	MANUAL
CFM	1000	1000	1700	1700	2300	2300	2700	2700
OPER. LBS	22	18	30	26	30	26	33	31
SHIP LBS	28	22	34	30	37	32	40	38
A	41-3/4	37	49	40	48	44	48	48
B	12	10	12	12	16	14	16	16
C	23-1/4	8	28	10	34	14	34	16
D	8	N/A	10	N/A	14	N/A	14	N/A
E	8-1/2	25-3/4	9	26	8-2/3	26	7	N/A
F	10	6	12	6	14	6	16	N/A
G	11-3/4	3	11	3	11	3	7	N/A
H	12-3/4	3/8	14-3/4	3/8	16-3/4	3/8	16-3/4	N/A
I	17-1/4	10-3/8	23	10	24-1/4	6-5/8	24-1/4	N/A
J	13-1/4	12-3/4	16	14-3/4	18	16-3/4	19	16-3/4
K	3-1/4	3/8	2	2	2	3/8	N/A	N/A
L	3-1/4	2-7/8	4	3	2	3	2	N/A
M	12	12	14	14	16	16	16	16

AVAILABLE SIZES: 1000, 1700, 2300, & 2700 CFM

CALL OR VISIT US ONLINE TODAY!!



800-944-1711



sales@energenics.com | energenics.com

